





LINE IN

ON
OFF

TEST

FOCUS

INTENSITY

HORIZONTAL POSITION

VERTICAL POSITION

SWEEP

100
50
20
10
5
1
MICRO
MILLI
SECONDS

FUNCTION

AUX SURGE 100 10 1

MICRO PS DIV

VOLTS DIV

1000 2000 5000

500 1 5000

OPEN GND

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

12.1

OUTPUT KILOVOLTS

REMOTE READOUT

A B

SURGE

1000:1

ARMATURE

100:1

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER

TRIGGER


TRIGGER

FOOTSWITCH

OUTPUT

MIN

CALIBRATION NOT REQUIRED
ONLY FOR SERVICE PROCESS VERIFICATION



FOCUS
INTENSITY
HORIZONTAL POSITION
VERTICAL POSITION
SWEEP
100 50 20 10
SEC
MIL SECONDS

FUNCTION
SURGE
AUX 1 100 10 1
CH 1
MICROV PS/DIV
VOLTS DIV
1000 2000 500 5000
OPEN GND
HOLD
TRIG

12.0
OUTPUT KILOVOLTS

REMOTE READOUT
A B
SURGE
1000:1
ARMATURE
100:1
TRIGGER


FOOTSWITCH

LINE IN

TEST

ON
OFF





LINE IN

TEST

ON
OFF

FOCUS

INTENSITY

HORIZONTAL
POSITION

VERTICAL
POSITION

SWEEP

100 50 20 10
SEC
MIC SECONDS

FUNCTION

SURGE
AUX 100 10 1

VOLTS DIV
1000 500 5000 5000

OPEN
GND

TRIP

12.0

OUTPUT KILOVOLT

REMOTE READOUT

A

B

SUR

100

ARMATURE

100:1

TRIGGER



FOOTSWITCH