

EXTERNAL INVOLUTE SPLINE DATA

FLAT ROOT MAJOR DIAMETER FIT	
NUMBER OF TEETH	29
DIAMETRAL PITCH	10/20
PRESSURE ANGLE	30 °
BASE DIAMETER	2.5115 REF.
PITCH DIAMETER	2.9000 REF.
MAJOR DIAMETER	2.9990/2.9979
FORM DIAMETER	2.794
MINOR DIAMETER	2.750 MIN.
MEASUREMENT OVER	3.1864
TWO PINS	3.1916
MEASURE PIN DIA.	.1920
MAJOR DIA. & PITCH DIA. MUST	
BE CONCENTRIC TO EACH OTHER	
WITHIN .005 F.I.M.	
CIRCULAR TOOTH THICKNESS	
MAX. EFFECTIVE	. 1555
MIN. ACTUAL	.1522

-29 TOOTH SPLINE CHAMFER 3/32 X 30° ®

SPLINE DATA

TYPE: FLAT ROOT MAJOR DIAMETER FIT

NO. OF TEETH

29

PITCH

10/20

PRESSURE ANGLE

30°

BASE DIA.

2.5115 REF 2.9000

PITCH DIA. MAJOR DIA.

3.0000 - 3.0019

FORM DIA.

2.982

MINOR DIA.

2.8000 - 2.8050

MEASUREMENT BETWEEN PINS

2.6525 - 2.6587

PIN DIA.

0.1728

NOTE: THE MAJOR DIAMETER AND PITCH DIAMETER

MUST BE CONCENTRIC WITHIN .005



