

## **HGX-3 CUTTING PROPANE TREATMENT**

# SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: HGX-3 Cutting Propane Treatment

DATE: 30 May 2013 SUPERSEDES DATE: 08 February 2013

**REVISION #:** 4.1.1

MANUFACTURER: ENERGY ADDITIVES, INC.

**ADDRESS**: 117 Lillie Ave.

Battle Creek, MI, USA 49015

24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

# SECTION 2 - HAZARDS IDENTIFICATION









SIGNAL WORD: DANGER

Keep away from ignition sources. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed. Avoid contact with eyes.

# POTENTIAL HEALTH EFFECTS: CODE OF HAZARD STATEMENTS:

Physical hazards

H226, Flammable liquid and Vapor

Health Hazards

H304, May be fatal if swallowed and enters airways.

H312, Harmful in contact with skin.

H315, Causes skin irritation.

H320, Causes eye irritation.

H333, May be harmful if inhaled.

H336, May cause drowsiness or dizziness,

Environmental hazards

H402, Harmful to aquatic life.

# **CODE OF PRECAUTIONARY STATEMENTS:**

General

P101, Keep out of reach of children.

P103. Read label before use.

Prevention

P210, Keep away from heat/sparks/open flames/hot surfaces. NO SMOKING.

P233, Keep container tightly closed.

P234, Keep only in original container.

P242, Use only non-sparking tools.

P261, Avoid breathing breathing fume/gas/mist/Vapor spray.

P262 Do not get in eyes, on skin or on clothing.

P264, Wash thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P280, Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312, Call a POISON CENTER or doctor/physician if you feel unwell.

P331, DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

P381, Eliminate all ignition sources if safe to do so.

Storage

P403, Store in a well-ventilated area.

P412, Do not expose to temperatures exceeding 50 °C/122 °F.

**ROUTES OF ENTRY:** Eve contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** Prop. B is a suspected carcinogen and petroleum distillates have residual naphthalene and benzene that are carcinogens.



#### **HGX-3 CUTTING PROPANE TREATMENT**

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS			
CAS NUMBER	EINECS #	%	REACH Reg. #
64742-478	265-191-7	< 20-50	Yes
64742-94-5	265-198-5	< 20-50	Yes
64742-46-7	265-148-2	< 10-12	Yes
Prop.	Prop.	< 8-12	No
Prop.	Prop.	< 3-6	No
Prop.	Prop.	< 2-4	No
Prop.	Prop.	< 2-4	No
Prop.	Prop.	2- 4	Yes
Prop.	Prop.	1- 2	Yes
	CAS NUMBER 64742-478 64742-94-5 64742-46-7 Prop. Prop. Prop. Prop. Prop. Prop.	CAS NUMBER         EINECS #           64742-478         265-191-7           64742-94-5         265-198-5           64742-46-7         265-148-2           Prop.         Prop.           Prop.         Prop.	CAS NUMBER         EINECS #         %           64742-478         265-191-7         < 20-50

# SECTION 4 - FIRST AID MEASURES

**INHALATION:** Move to fresh air free from risk of further exposure. If person not breathing call 9-1-1, then apply rescue breathing. Seek medical attention as soon as possible.

**EYE CONTACT:** Flush with clean, lukewarm water raising upper and lower eyelids at low pressure for 15 minutes. Remove contact lenses, if present, after the first five minutes and continue to rinse the eyes. Seek medical attention if no relief.

**SKIN CONTACT:** Rinse area with clean water for 15-20 minutes. Call poison control center or doctor for treatment advice.

**INGESTION:** Call a poison control center or doctor immediately for treatment advice.DO NOT INDUCE VOMITING. Lower the head when person is vomiting to minimize entry into throat and lungs.

#### SECTION 5 - FIREFIGHTING MEASURES

FLASHPOINT AND METHOD: 109°F (42.7 °C)

**FLAMMABLE LIMITS:** LEL = 1.0% UEL = 6.0%

**EXTINGUISHING METHOD:** Use dry chemicals, carbon dioxide and foam.

**FIRE OR EXPLOSION HAZARDS:** This material under complete combustion will form oxides of carbon and nitrogen.

**SPECIAL FIREFIGHTING PROCEDURES:** Keep upwind of fire. Full emergency equipment with self-contained breathing apparatus and full protective clothing to be worn by firefighters.

# SECTION 6 - ACCIDENTAL RELEASE MEASURES

**SPILL OR LEAK PROCEDURES:** Wear PPE product is flammable. Keep away from sources of ignition. Avoid breathing Vapor or mist. Isolate the area and prevent material from getting into waterways.

Absorb with vermiculite, sand or other inert absorbent and place the collected material in a closed container. Use non-sparking tools.

Finish cleaning the area with small amounts of soap and water on the spill area.

#### SECTION 7 - HANDLING AND STORAGE

**STORAGE TEMPERATURE:** Keep containers tightly and keep in cool dry area. Provide a cool well-ventilated area.

**SPECIAL SENSITIVITY:** Avoid contact with skin and eyes, wear PPE in section 8.

**HANDLING AND STORAGE PRECAUTIONS:** Avoid breathing the vapour or mist. Use normal safety procedures and good personal hygiene. Wash thoroughly after use and before eating, drinking, chewing gum or using tobacco.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

**EYE PROTECTION:** Use safety glasses or goggles, there is potential for vapour or mist exposure to cause severe injury to the eyes.

**SKIN PROTECTION:** Wear chemical resistant glove (Nitrile.) Wear long sleeve shirts, long pants and shoes and socks

**RESPIRATORY PROTECTION:** Wear respirator if the airborne conditions result in an aerosol forming. **OCCUPATIONAL EXPOSURE LIMITS:** OSHA PEL TWA; Petroleum distillate, hydro treated, light 400 ppm, Petroleum distillate, hydro treated, medium 100 ppm, and Prop. B, 100 ppm.

**ENGINEERING CONTROLS:** Provide adequate ventilation when product is used. Eyewash and shower should be provided in mixing and loading areas.

#### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**



# **HGX-3 CUTTING PROPANE TREATMENT**

COLOR: Red Dark

PHYSICAL FORM: Liquid.

ODOR: Solvent odor. pH: NA

SOLUBILITY IN WATER: Not soluble FLASH POINT: 109 °F (42.7 °C) VOLATILE ORGANIC CONTENT (VOC): 90% SOLUBILITY (WATER): Not soluble.

**SPECIFIC GRAVITY (water=1):** 0.798 @ 68 °F (20 °C)

**BOILING POINT:** 318-356 °F (159-180 °C)

## SECTION 10 - REACTIVITY

STABILITY: This product is stable material under normal conditions of storage and handling.

**HAZARDOUS POLYMERIZATION:** Will not occur. **CONDITIONS TO AVOID:** Ignition sources.

**INCOMPATIBLES:** Avoid strong oxidizing agents, acids and bases, and selected amines.

**DECOMPOSITION PRODUCTS:** Product will burn and the products of complete combustion are oxides of carbon and nitrogen.

## SECTION 11 - TOXICOLOGICAL/ECOLOGICAL INFORMATION

Oral LD<sub>50 (rat)</sub> = 813 mg/kg LC<sub>50 (rat)</sub> = 700 mg/L (4-hr test)

The significant routes of exposure are eyes, skin, ingestion and inhalation.

#### **SECTION 12 - DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD:** This material is a liquid, wear PPE as outlined in Section VIII. Dispose according to the regulations of local, state and Federal regulatory agencies.

#### SECTION 13 - TRANSPORTATION INFORMATION

# **US DOT (ground) SHIPPING DESCRIPTION:**

UN1268, Petroleum distillates, N.O.S., (Distillate petroleum hydro treated light, Solvent naphtha heavy aromatic), 3, III

## IATA (air) SHIPPING DESCRIPTION: CARGO AIRCRAFT ONLY

UN1268, Petroleum distillates, N.O.S., (Distillate petroleum hydro treated light, Solvent naphtha heavy aromatic), 3, III

Use packing instruction 310, container capacity is 58.15 gallons (220 liters)

# IMO (water) SHIPPING DESCRIPTION:

UN1268, Petroleum distillates, N.O.S., Distillate petroleum hydro treated light, Solvent naphtha heavy aromatic), 3, III

Use packing instructions P001 and LP01.

#### SECTION 14 - REGULATORY INFORMATION

**OSHA STATUS:** Flammable

UN Number: 1268 Hazard Class: 3

TSCA STATUS: Petroleum distillates and Prop. B. CERCLA REPORTABLE QUANTITY: None.

CALIFORNIA PROPOSITION 65: Naphthalene and Benzene are found as residuals in petroleum distillates as

cancer causing.

RCRA STATUS: None.

# SARA 311/312 HAZARD NOTIFICATION/REPORTING

IMMEDIATE Y FIRE Y SUDDEN RELEASE OF PRESSURE N

**DELAYED** Y **REACTIVE** N

SARA TITLE III: None.

SECTION 302 EXTREMELY HAZARDOUS: None. SECTION 311/312 HAZARD CATEGORIES: None.

**SECTION 313 TOXIC CHEMICALS:** None.

RIGHT TO KNOW: None.

EUROPEAN COMMUNITY:





WHMIS: Class B3

Class D-2A

# SECTION 15 - OTHER INFORMATION/APPROVALS

National Fire Protection Association (NFPA)
Hazardous Materials Identification System (HMIS)
NFPA

HMIS



## **HGX-3 CUTTING PROPANE TREATMENT**

0 Least

1 Health 1 Slight 1 Health
2 Flammability 2 Moderate 2 Flammability
0 Instability 3 High 0 Reactivity

4 Severe H PPE

#### SECTION 16 - ABBREVIATIONS /DISCLAIMER

REASON FOR ISSUE: Addition to Section 14, Un number and hazard class.

APPROVAL DATE: 1 June 2013 PREPARED BY: Dennis Belau

REVIEWED BY Lloyd Lack

DBelau@comcast.net

**ABBREVIATIONS:** 

CAS # Chemical Abstract Service Number EINECS European Inventory of existing Commercial Chemical Sales

 °C
 Celsius temperature scale

 Prop.
 Proprietary

 TLV
 Threshold Limit Value

 STEL
 Short term Exposure Limit

 PE
 Personal Protective Equipment

 TWA
 Time Weighted Average

 PEI
 Permissible Exposure Limit

STEL Short-term Exposure Limit
OSHA Occupational Safety & Health
PEL Permissible Exposure Limit
NIOSH National Institute of Safety &

OSHA Occupational Safety & Health
NFPA National Fire Protection Agency
WHMIS Workplace Hazardous Materials Information

System

LEL Lower explosive limit

NDA No Data Available

ND Not determined

NE None established

NA Not Applicable

Less Than or Equal To

VEP Upper explosive limit

ND Not determined

NA Not Applicable

> Greater Than or Equal To

CNS Central Nervous System CI China

DSL Canada ECL Korean Existing Chemicals List

EEC European Economic Commission ENCS Japanese Existing and New Chemical List

EUEuropean UnionMACNetherlandsMAKGermanyMITIJapanPICCSPhilippinesSWISSGiftliste 1UKUnited KingdomUSAUnited States

VOC Volatile organic content

ACGIH American Conference of Government Industrial Hygienists

SARA Superfund Amendments and Reauthorization Act AICS Australian Inventory of Chemical Substances IARC International Agency for Research on Cancer

Taiwan List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances

Control Act of 1086

<u>Disclaimer: This information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particulars purposes. In no event shall Energy Additives, Inc. be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if company has been advised of the possibility of such damages</u>