

Deploying Shared NX Feature Toggles Configurations

Summary

These instructions describe how an NX administrator can deploy a collection of NX feature toggle setting (configuration) for multiple users.

Overview

- Define the desired toggles configuration
- Locate the configuration file
- Copy the configuration to a shared location
- Set the NX customer default to reference the shared configuration file


Example

Define the desired toggles configuration.

Set the State to “ON” for the desired Toggles.

Press OK to commit the feature toggles dialog settings. (and OK for the restart required if needed).

Exit NX. (This is best practice to ensure that the toggle configuration (.fcg) is written in its entirety and is not being used by the NX process).




Unrestricted


- Locate the configuration file

The Toggle confirmation file is in the user's profile directory.

Use windows file explorer to navigate to %localappdata%\Siemens\NX1953



The file is named feature_toggle_user.fcg



- Copy the configuration to a shared location

Copy feature_toggle_user.fcgi [\\Site_Server\NX_site_dir\NX1953.fcgi](#)

It is a best practice to rename the file to not confuse it with the user specific configuration file.


- Set the NX customer default to reference the shared configuration file

Select the Defaults level (Group or Site).

“Gateway -> General -> Miscellaneous -> Feature Toggles -> Configuration File”

Enter the full filename from the copy operation above. E.g.

[\\Site_Server\NX_site_dir\NX1953.fcgi](#)



Restart NX. (Standard behavior for NX customer defaults).