



## ISO Standards collection

# Technical Product Specification (TPS)

## Contents

<b>ISO 1:2002</b>	Geometrical Product Specifications (GPS) -- Standard reference temperature for geometrical product specification and verification
<b>ISO 3:1973</b>	Preferred numbers -- Series of preferred numbers
<b>ISO 7-1:1994</b>	Pipe threads where pressure-tight joints are made on the threads -- Part 1: Dimensions, tolerances and designation
<b>ISO 7-1:1994 / Cor 1:2007</b>	
<b>ISO 7-2:2000</b>	Pipe threads where pressure-tight joints are made on the threads -- Part 2: Verification by means of limit gauges
<b>ISO 14:1982</b>	Straight-sided splines for cylindrical shafts with internal centering -- Dimensions, tolerances and verification
<b>ISO 17:1973</b>	Guide to the use of preferred numbers and of series of preferred numbers
<b>ISO 53:1998</b>	Cylindrical gears for general and heavy engineering -- Standard basic rack tooth profile
<b>ISO 54:1996</b>	Cylindrical gears for general engineering and for heavy engineering -- Modules
<b>ISO 68-1:1998</b>	ISO general purpose screw threads -- Basic profile -- Part 1: Metric screw threads
<b>ISO 68-2:1998</b>	ISO general-purpose screw threads -- Basic profile -- Part 2: Inch screw threads
<b>ISO 128-1:2003</b>	Technical drawings -- General principles of presentation -- Part 1: Introduction and index
<b>ISO 128-20:1996</b>	Technical drawings -- General principles of presentation -- Part 20: Basic conventions for lines
<b>ISO 128-21:1997</b>	Technical drawings -- General principles of presentation -- Part 21: Preparation of lines by CAD systems
<b>ISO 128-22:1999</b>	Technical drawings -- General principles of presentation -- Part 22: Basic conventions and applications for leader lines and reference lines
<b>ISO 128-24:1999</b>	Technical drawings -- General principles of presentation -- Part 24: Lines on mechanical engineering drawings
<b>ISO 128-30:2001</b>	Technical drawings -- General principles of presentation -- Part 30: Basic conventions for views
<b>ISO 128-34:2001</b>	Technical drawings -- General principles of presentation -- Part 34: Views on mechanical engineering drawings
<b>ISO 128-40:2001</b>	Technical drawings -- General principles of presentation -- Part 40: Basic conventions for cuts and sections

<b>ISO 128-44:2001</b>	Technical drawings -- General principles of presentation -- Part 44: Sections on mechanical engineering drawings
<b>ISO 128-50:2001</b>	Technical drawings -- General principles of presentation -- Part 50: Basic conventions for representing areas on cuts and sections
<b>ISO 129-1:2004</b>	Technical drawings -- Indication of dimensions and tolerances -- Part 1: General principles
<b>ISO 228-1:2000</b>	Pipe threads where pressure-tight joints are not made on the threads -- Part 1: Dimensions, tolerances and designation
<b>ISO 228-2:1987</b>	Pipe threads where pressure-tight joints are not made on the threads -- Part 2: Verification by means of limit gauges
<b>ISO 261:1998</b>	ISO general purpose metric screw threads -- General plan
<b>ISO 262:1998</b>	ISO general purpose metric screw threads -- Selected sizes for screws, bolts and nuts
<b>ISO 263:1973</b>	ISO inch screw threads -- General plan and selection for screws, bolts and nuts -- Diameter range 0.06 to 6 in
<b>ISO 286-1:1988</b>	ISO system of limits and fits -- Part 1: Bases of tolerances, deviations and fits
<b>ISO 286-2:1988</b>	ISO system of limits and fits -- Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts
<b>ISO 286-2:1988 / Cor 1:2006</b>	
<b>ISO 406:1987</b>	Technical drawings -- Tolerancing of linear and angular dimensions
<b>ISO 463:2006</b>	Geometrical Product Specifications (GPS) -- Dimensional measuring equipment -- Design and metrological characteristics of mechanical dial gauges
<b>ISO 463:2006 / Cor 1:2007</b>	
<b>ISO 463:2006 / Cor 2:2009</b>	
<b>ISO 497:1973</b>	Guide to the choice of series of preferred numbers and of series containing more rounded values of preferred numbers
<b>ISO 677:1976</b>	Straight bevel gears for general engineering and heavy engineering -- Basic rack
<b>ISO 678:1976</b>	Straight bevel gears for general engineering and heavy engineering -- Modules and diametral pitches
<b>ISO 701:1998</b>	International gear notation -- Symbols for geometrical data
<b>ISO 724:1993</b>	ISO general-purpose metric screw threads -- Basic dimensions
<b>ISO 725:2009</b>	ISO inch screw threads -- Basic dimensions
<b>ISO 965-1:1998</b>	ISO general-purpose metric screw threads -- Tolerances -- Part 1: Principles and basic data
<b>ISO 965-2:1998</b>	ISO general purpose metric screw threads -- Tolerances -- Part 2: Limits of sizes for general purpose external and internal screw threads -- Medium quality
<b>ISO 965-3:1998</b>	ISO general purpose metric screw threads -- Tolerances -- Part 3: Deviations for constructional screw threads

<b>ISO 965-4:1998</b>	ISO general purpose metric screw threads -- Tolerances -- Part 4: Limits of sizes for hot-dip galvanized external screw threads to mate with internal screw threads tapped with tolerance position H or G after galvanizing
<b>ISO 965-5:1998</b>	ISO general purpose metric screw threads -- Tolerances -- Part 5: Limits of sizes for internal screw threads to mate with hot-dip galvanized external screw threads with maximum size of tolerance position h before galvanizing
<b>ISO 1101:2004</b>	Geometrical Product Specifications (GPS) -- Geometrical tolerancing -- Tolerances of form, orientation, location and run-out
<b>ISO 1119:1998</b>	Geometrical Product Specifications (GPS) -- Series of conical tapers and taper angles
<b>ISO 1122-1:1998</b>	Vocabulary of gear terms -- Part 1: Definitions related to geometry
<b>ISO 1122-1:1998 / Cor 1:1999</b>	
<b>ISO 1122-2:1999</b>	Vocabulary of gear terms -- Part 2: Definitions related to worm gear geometry
<b>ISO 1302:2002</b>	Geometrical Product Specifications (GPS) -- Indication of surface texture in technical product documentation
<b>ISO 1328-1:1995</b>	Cylindrical gears -- ISO system of accuracy -- Part 1: Definitions and allowable values of deviations relevant to corresponding flanks of gear teeth
<b>ISO 1328-2:1997</b>	Cylindrical gears -- ISO system of accuracy -- Part 2: Definitions and allowable values of deviations relevant to radial composite deviations and runout information
<b>ISO 1340:1976</b>	Cylindrical gears -- Information to be given to the manufacturer by the purchaser in order to obtain the gear required
<b>ISO 1341:1976</b>	Straight bevel gears -- Information to be given to the manufacturer by the purchaser in order to obtain the gear required
<b>ISO 1460:1992</b>	Metallic coatings -- Hot dip galvanized coatings on ferrous materials -- Gravimetric determination of the mass per unit area
<b>ISO 1463:2003</b>	Metallic and oxide coatings -- Measurement of coating thickness -- Microscopical method
<b>ISO 1478:1999</b>	Tapping screws thread
<b>ISO 1501:2009</b>	ISO miniature screw threads
<b>ISO 1502:1996</b>	ISO general-purpose metric screw threads -- Gauges and gauging
<b>ISO 1660:1987</b>	Technical drawings -- Dimensioning and tolerancing of profiles
<b>ISO 1829:1975</b>	Selection of tolerance zones for general purposes
<b>ISO/R 1938:1971</b>	ISO system of limits and fits -- Part II : Inspection of plain workpieces
<b>ISO 2064:1996</b>	Metallic and other inorganic coatings -- Definitions and conventions concerning the measurement of thickness
<b>ISO 2106:1982</b>	Anodizing of aluminium and its alloys -- Determination of mass per unit area (surface density) of anodic oxide coatings -- Gravimetric method
<b>ISO 2106:1982 / Amd 1:1983</b>	
<b>ISO 2128:1976</b>	Anodizing of aluminium and its alloys -- Determination of thickness of anodic oxide coatings -- Non-destructive measurement by split-beam microscope

<b>ISO 2162-1:1993</b>	Technical product documentation -- Springs -- Part 1: Simplified representation
<b>ISO 2162-2:1993</b>	Technical product documentation -- Springs -- Part 2: Presentation of data for cylindrical helical compression springs
<b>ISO 2177:2003</b>	Metallic coatings -- Measurement of coating thickness -- Coulometric method by anodic dissolution
<b>ISO 2178:1982</b>	Non-magnetic coatings on magnetic substrates -- Measurement of coating thickness -- Magnetic method
<b>ISO 2203:1973</b>	Technical drawings -- Conventional representation of gears
<b>ISO 2360:2003</b>	Non-conductive coatings on non-magnetic electrically conductive basis materials -- Measurement of coating thickness -- Amplitude-sensitive eddy-current method
<b>ISO 2361:1982</b>	Electrodeposited nickel coatings on magnetic and non-magnetic substrates -- Measurement of coating thickness -- Magnetic method
<b>ISO 2490:2007</b>	Solid (monobloc) gear hobs with tenon drive or axial keyway, 0,5 to 40 module -- Nominal dimensions
<b>ISO 2538:1998</b>	Geometrical Product Specifications (GPS) -- Series of angles and slopes on prisms
<b>ISO 2553:1992</b>	Welded, brazed and soldered joints -- Symbolic representation on drawings
<b>ISO 2692:2006</b>	Geometrical product specifications (GPS) -- Geometrical tolerancing -- Maximum material requirement (MMR), least material requirement (LMR) and reciprocity requirement (RPR)
<b>ISO 2768-1:1989</b>	General tolerances -- Part 1: Tolerances for linear and angular dimensions without individual tolerance indications
<b>ISO 2768-2:1989</b>	General tolerances -- Part 2: Geometrical tolerances for features without individual tolerance indications
<b>ISO 2808:2007</b>	Paints and varnishes -- Determination of film thickness
<b>ISO 2901:1993</b>	ISO metric trapezoidal screw threads -- Basic profile and maximum material profiles
<b>ISO 2902:1977</b>	ISO metric trapezoidal screw threads -- General plan
<b>ISO 2903:1993</b>	ISO metric trapezoidal screw threads -- Tolerances
<b>ISO 2904:1977</b>	ISO metric trapezoidal screw threads -- Basic dimensions
<b>ISO 3040:1990</b>	Technical drawings -- Dimensioning and tolerancing -- Cones
<b>ISO 3098-0:1997</b>	Technical product documentation -- Lettering -- Part 0: General requirements
<b>ISO 3098-2:2000</b>	Technical product documentation -- Lettering -- Part 2: Latin alphabet, numerals and marks
<b>ISO 3098-3:2000</b>	Technical product documentation -- Lettering -- Part 3: Greek alphabet
<b>ISO 3098-4:2000</b>	Technical product documentation -- Lettering -- Part 4: Diacritical and particular marks for the Latin alphabet
<b>ISO 3098-5:1997</b>	Technical product documentation -- Lettering -- Part 5: CAD lettering of the Latin alphabet, numerals and marks
<b>ISO 3098-6:2000</b>	Technical product documentation -- Lettering -- Part 6: Cyrillic alphabet
<b>ISO 3160-2:2003</b>	Watch-cases and accessories -- Gold alloy coverings -- Part 2: Determination of fineness, thickness, corrosion resistance and adhesion

<b>ISO 3274:1996</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method -- Nominal characteristics of contact (stylus) instruments
<b>ISO 3274:1996 / Cor 1:1998</b>	
<b>ISO 3302-1:1996</b>	Rubber -- Tolerances for products -- Part 1: Dimensional tolerances
<b>ISO 3302-1:1996 / Amd 1:2001</b>	Classification system for flash
<b>ISO 3302-2:2008</b>	Rubber -- Tolerances for products -- Part 2: Geometrical tolerances
<b>ISO 3497:2000</b>	Metallic coatings -- Measurement of coating thickness -- X-ray spectrometric methods
<b>ISO 3543:2000</b>	Metallic and non-metallic coatings -- Measurement of thickness -- Beta backscatter method
<b>ISO 3543:2000 / Cor 1:2003</b>	
<b>ISO 3599:1976</b>	Vernier callipers reading to 0,1 and 0,05 mm
<b>ISO 3611:1978</b>	Micrometer callipers for external measurement
<b>ISO 3650:1998</b>	Geometrical Product Specifications (GPS) -- Length standards -- Gauge blocks
<b>ISO 3868:1976</b>	Metallic and other non-organic coatings -- Measurement of coating thicknesses -- Fizeau multiple-beam interferometry method
<b>ISO 3882:2003</b>	Metallic and other inorganic coatings -- Review of methods of measurement of thickness
<b>ISO 3892:2000</b>	Conversion coatings on metallic materials -- Determination of coating mass per unit area -- Gravimetric methods
<b>ISO 4063:1998</b>	Welding and allied processes -- Nomenclature of processes and reference numbers
<b>ISO 4156-1:2005</b>	Straight cylindrical involute splines -- Metric module, side fit -- Part 1: Generalities
<b>ISO 4156-2:2005</b>	Straight cylindrical involute splines -- Metric module, side fit -- Part 2: Dimensions
<b>ISO 4156-3:2005</b>	Straight cylindrical involute splines -- Metric module, side fit -- Part 3: Inspection
<b>ISO 4287:1997</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method -- Terms, definitions and surface texture parameters
<b>ISO 4287:1997 / Cor 1:1998</b>	
<b>ISO 4287:1997 / Cor 2:2005</b>	
<b>ISO 4288:1996</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method -- Rules and procedures for the assessment of surface texture
<b>ISO 4288:1996 / Cor 1:1998</b>	
<b>ISO 4291:1985</b>	Methods for the assesement of departure from roundness -- Measurement of variations in radius
<b>ISO 4292:1985</b>	Methods for the assessment of departure from roundness -- Measurement by two- and three-point methods
<b>ISO 4468:1982</b>	Gear hobs -- Single start -- Accuracy requirements

<b>ISO 4518:1980</b>	Metallic coatings -- Measurement of coating thickness -- Profilometric method
<b>ISO 4521:2008</b>	Metallic and other inorganic coatings -- Electrodeposited silver and silver alloy coatings for engineering purposes -- Specification and test methods
<b>ISO 5261:1995</b>	Technical drawings -- Simplified representation of bars and profile sections
<b>ISO 5408:1983</b>	Cylindrical screw threads -- Vocabulary
<b>ISO 5436-1:2000</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method; Measurement standards -- Part 1: Material measures
<b>ISO 5436-2:2001</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method; Measurement standards -- Part 2: Software measurement standards
<b>ISO 5436-2:2001 / Cor 1:2006</b>	
<b>ISO 5436-2:2001 / Cor 2:2008</b>	
<b>ISO 5455:1979</b>	Technical drawings -- Scales
<b>ISO 5456-1:1996</b>	Technical drawings -- Projection methods -- Part 1: Synopsis
<b>ISO 5456-2:1996</b>	Technical drawings -- Projection methods -- Part 2: Orthographic representations
<b>ISO 5456-3:1996</b>	Technical drawings -- Projection methods -- Part 3: Axonometric representations
<b>ISO 5456-4:1996</b>	Technical drawings -- Projection methods -- Part 4: Central projection
<b>ISO 5457:1999</b>	Technical product documentation -- Sizes and layout of drawing sheets
<b>ISO 5458:1998</b>	Geometrical Product Specifications (GPS) -- Geometrical tolerancing -- Positional tolerancing
<b>ISO 5459:1981</b>	Technical drawings -- Geometrical tolerancing -- Datums and datum-systems for geometrical tolerances
<b>ISO/TR 5460:1985</b>	Technical drawings -- Geometrical tolerancing -- Tolerancing of form, orientation, location and run-out -- Verification principles and methods -- Guidelines
<b>ISO 5845-1:1995</b>	Technical drawings -- Simplified representation of the assembly of parts with fasteners -- Part 1: General principles
<b>ISO 5864:1993</b>	ISO inch screw threads -- Allowances and tolerances
<b>ISO 6410-1:1993</b>	Technical drawings -- Screw threads and threaded parts -- Part 1: General conventions
<b>ISO 6410-2:1993</b>	Technical drawings -- Screw threads and threaded parts -- Part 2: Screw thread inserts
<b>ISO 6410-3:1993</b>	Technical drawings -- Screw threads and threaded parts -- Part 3: Simplified representation
<b>ISO 6411:1982</b>	Technical drawings -- Simplified representation of centre holes
<b>ISO 6413:1988</b>	Technical drawings -- Representation of splines and serrations
<b>ISO 6428:1982</b>	Technical drawings -- Requirements for microcopying
<b>ISO 6433:1981</b>	Technical drawings -- Item references
<b>ISO 6906:1984</b>	Vernier callipers reading to 0,02 mm

<b>ISO 7083:1983</b>	Technical drawings -- Symbols for geometrical tolerancing -- Proportions and dimensions
<b>ISO 7200:2004</b>	Technical product documentation -- Data fields in title blocks and document headers
<b>ISO 7573:2008</b>	Technical product documentation -- Parts lists
<b>ISO 7668:1986</b>	Anodized aluminium and aluminium alloys -- Measurement of specular reflectance and specular gloss at angles of 20 degrees, 45 degrees, 60 degrees or 85 degrees
<b>ISO 7759:1983</b>	Anodizing of aluminium and its alloys -- Measurement of reflectivity characteristics of aluminium surfaces using abridged goniophotometer or goniophotometer
<b>ISO 7863:1984</b>	Height setting micrometers and riser blocks
<b>ISO 8015:1985</b>	Technical drawings -- Fundamental tolerancing principle
<b>ISO 8062:1994</b>	Castings -- System of dimensional tolerances and machining allowances
<b>ISO 8062-1:2007</b>	Geometrical product specifications (GPS) -- Dimensional and geometrical tolerances for moulded parts -- Part 1: Vocabulary
<b>ISO 8062-3:2007</b>	Geometrical product specifications (GPS) -- Dimensional and geometrical tolerances for moulded parts -- Part 3: General dimensional and geometrical tolerances and machining allowances for castings
<b>ISO 8062-3:2007 / Cor 1:2009</b>	
<b>ISO 8503-1:1988</b>	Preparation of steel substrates before application of paints and related products -- Surface roughness characteristics of blast-cleaned steel substrates -- Part 1: Specifications and definitions for ISO surface profile comparators for the assessment of abrasive blast-cleaned surfaces
<b>ISO 8503-2:1988</b>	Preparation of steel substrates before application of paints and related products -- Surface roughness characteristics of blast-cleaned steel substrates -- Part 2: Method for the grading of surface profile of abrasive blast-cleaned steel -- Comparator procedure
<b>ISO 8503-3:1988</b>	Preparation of steel substrates before application of paints and related products -- Surface roughness characteristics of blast-cleaned steel substrates -- Part 3: Method for the calibration of ISO surface profile comparators and for the determination of surface profile -- Focusing microscope procedure
<b>ISO 8503-4:1988</b>	Preparation of steel substrates before application of paints and related products -- Surface roughness characteristics of blast-cleaned steel substrates -- Part 4: Method for the calibration of ISO surface profile comparators and for the determination of surface profile -- Stylus instrument procedure
<b>ISO 8503-5:2003</b>	Preparation of steel substrates before application of paints and related products -- Surface roughness characteristics of blast-cleaned steel substrates -- Part 5: Replica tape method for the determination of the surface profile
<b>ISO 8512-1:1990</b>	Surface plates -- Part 1: Cast iron
<b>ISO 8512-2:1990</b>	Surface plates -- Part 2: Granite
<b>ISO 8785:1998</b>	Geometrical Product Specification (GPS) -- Surface imperfections -- Terms, definitions and parameters

<b>ISO 8826-1:1989</b>	Technical drawings -- Rolling bearings -- Part 1: General simplified representation
<b>ISO 8826-2:1994</b>	Technical drawings -- Rolling bearings -- Part 2: Detailed simplified representation
<b>ISO 9013:2002</b>	Thermal cutting -- Classification of thermal cuts -- Geometrical product specification and quality tolerances
<b>ISO 9220:1988</b>	Metallic coatings -- Measurement of coating thickness -- Scanning electron microscope method
<b>ISO 9222-1:1989</b>	Technical drawings -- Seals for dynamic application -- Part 1: General simplified representation
<b>ISO 9222-2:1989</b>	Technical drawings -- Seals for dynamic application -- Part 2: Detailed simplified representation
<b>ISO/TR 10064-1:1992</b>	Code of inspection practice -- Part 1: Inspection of corresponding flanks of gear teeth
<b>ISO/TR 10064-1:1992 / Cor 1:2006</b>	
<b>ISO/TR 10064-2:1996</b>	Code of inspection practice -- Part 2: Inspection related to radial composite deviations, runout, tooth thickness and backlash
<b>ISO/TR 10064-2:1996 / Cor 1:2001</b>	
<b>ISO/TR 10064-2:1996 / Cor 2:2006</b>	
<b>ISO 10135:2007</b>	Geometrical product specifications (GPS) -- Drawing indications for moulded parts in technical product documentation (TPD)
<b>ISO 10209-1:1992</b>	Technical product documentation -- Vocabulary -- Part 1: Terms relating to technical drawings: general and types of drawings
<b>ISO 10209-2:1993</b>	Technical product documentation -- Vocabulary -- Part 2: Terms relating to projection methods
<b>ISO 10360-1:2000</b>	Geometrical Product Specifications (GPS) -- Acceptance and reverification tests for coordinate measuring machines (CMM) -- Part 1: Vocabulary
<b>ISO 10360-1:2000 / Cor 1:2002</b>	
<b>ISO 10360-2:2001</b>	Geometrical Product Specifications (GPS) -- Acceptance and reverification tests for coordinate measuring machines (CMM) -- Part 2: CMMs used for measuring size
<b>ISO 10360-3:2000</b>	Geometrical Product Specifications (GPS) -- Acceptance and reverification tests for coordinate measuring machines (CMM) -- Part 3: CMMs with the axis of a rotary table as the fourth axis
<b>ISO 10360-4:2000</b>	Geometrical Product Specifications (GPS) -- Acceptance and reverification tests for coordinate measuring machines (CMM) -- Part 4: CMMs used in scanning measuring mode
<b>ISO 10360-4:2000 / Cor 1:2002</b>	
<b>ISO 10360-5:2000</b>	Geometrical Product Specifications (GPS) -- Acceptance and reverification tests for coordinate measuring machines (CMM) -- Part 5: CMMs using multiple-stylus probing systems



<b>ISO 10360-6:2001</b>	Geometrical Product Specifications (GPS) -- Acceptance and reverification tests for coordinate measuring machines (CMM) -- Part 6: Estimation of errors in computing Gaussian associated features
<b>ISO 10360-6:2001 / Cor 1:2007</b>	
<b>ISO 10578:1992</b>	Technical drawings -- Tolerancing of orientation and location -- Projected tolerance zone
<b>ISO 10579:1993</b>	Technical drawings -- Dimensioning and tolerancing -- Non-rigid parts
<b>ISO 11442:2006</b>	Technical product documentation -- Document management
<b>ISO 11562:1996</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method -- Metrological characteristics of phase correct filters
<b>ISO 11562:1996 / Cor 1:1998</b>	
<b>ISO 12085:1996</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method -- Motif parameters
<b>ISO 12085:1996 / Cor 1:1998</b>	
<b>ISO 12179:2000</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method -- Calibration of contact (stylus) instruments
<b>ISO 12179:2000 / Cor 1:2003</b>	
<b>ISO/TS 12180-1:2003</b>	Geometrical Product Specifications (GPS) -- Cylindricity -- Part 1: Vocabulary and parameters of cylindrical form
<b>ISO/TS 12180-2:2003</b>	Geometrical Product Specifications (GPS) -- Cylindricity -- Part 2: Specification operators
<b>ISO/TS 12181-1:2003</b>	Geometrical Product Specifications (GPS) -- Roundness -- Part 1: Vocabulary and parameters of roundness
<b>ISO/TS 12181-2:2003</b>	Geometrical Product Specifications (GPS) -- Roundness -- Part 2: Specification operators
<b>ISO/TS 12780-1:2003</b>	Geometrical Product Specifications (GPS) -- Straightness -- Part 1: Vocabulary and parameters of straightness
<b>ISO/TS 12780-2:2003</b>	Geometrical Product Specifications (GPS) -- Straightness -- Part 2: Specification operators
<b>ISO/TS 12781-1:2003</b>	Geometrical Product Specifications (GPS) -- Flatness -- Part 1: Vocabulary and parameters of flatness
<b>ISO/TS 12781-2:2003</b>	Geometrical Product Specifications (GPS) -- Flatness -- Part 2: Specification operators
<b>ISO 13565-1:1996</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method; Surfaces having stratified functional properties -- Part 1: Filtering and general measurement conditions
<b>ISO 13565-1:1996 / Cor 1:1998</b>	
<b>ISO 13565-2:1996</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method; Surfaces having stratified functional properties -- Part 2: Height characterization using the linear material ratio curve
<b>ISO 13565-2:1996 / Cor 1:1998</b>	

<b>ISO 13565-3:1998</b>	Geometrical Product Specifications (GPS) -- Surface texture: Profile method; Surfaces having stratified functional properties -- Part 3: Height characterization using the material probability curve
<b>ISO 13715:2000</b>	Technical drawings -- Edges of undefined shape -- Vocabulary and indications
<b>ISO 13920:1996</b>	Welding -- General tolerances for welded constructions -- Dimensions for lengths and angles -- Shape and position
<b>ISO 14253-1:1998</b>	Geometrical Product Specifications (GPS) -- Inspection by measurement of workpieces and measuring equipment -- Part 1: Decision rules for proving conformance or non-conformance with specifications
<b>ISO/TS 14253-2:1999</b>	Geometrical Product Specifications (GPS) -- Inspection by measurement of workpieces and measuring equipment -- Part 2: Guide to the estimation of uncertainty in GPS measurement, in calibration of measuring equipment and in product verification
<b>ISO/TS 14253-2:1999 / Cor 1:2007</b>	
<b>ISO/TS 14253-3:2002</b>	Geometrical Product Specifications (GPS) -- Inspection by measurement of workpieces and measuring equipment -- Part 3: Guidelines for achieving agreements on measurement uncertainty statements
<b>ISO/TR 14638:1995</b>	Geometrical product specification (GPS) -- Masterplan
<b>ISO 14660-1:1999</b>	Geometrical Product Specifications (GPS) -- Geometrical features -- Part 1: General terms and definitions
<b>ISO 14660-2:1999</b>	Geometrical Product Specifications (GPS) -- Geometrical features -- Part 2: Extracted median line of a cylinder and a cone, extracted median surface, local size of an extracted feature
<b>ISO 14978:2006</b>	Geometrical product specifications (GPS) -- General concepts and requirements for GPS measuring equipment
<b>ISO 14978:2006 / Cor 1:2008</b>	
<b>ISO/TS 15530-3:2004</b>	Geometrical Product Specifications (GPS) -- Coordinate measuring machines (CMM): Technique for determining the uncertainty of measurement -- Part 3: Use of calibrated workpieces or standards
<b>ISO/TS 15530-4:2008</b>	Geometrical Product Specifications (GPS) -- Coordinate measuring machines (CMM): Technique for determining the uncertainty of measurement -- Part 4: Evaluating task-specific measurement uncertainty using simulation
<b>ISO 15785:2002</b>	Technical drawings -- Symbolic presentation and indication of adhesive, fold and pressed joints
<b>ISO/TR 16015:2003</b>	Geometrical product specifications (GPS) -- Systematic errors and contributions to measurement uncertainty of length measurement due to thermal influences
<b>ISO 16016:2000</b>	Technical product documentation -- Protection notices for restricting the use of documents and products
<b>ISO/TS 16610-1:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 1: Overview and basic concepts
<b>ISO/TS 16610-20:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 20: Linear profile filters: Basic concepts

<b>ISO/TS 16610-22:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 22: Linear profile filters: Spline filters
<b>ISO/TS 16610-29:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 29: Linear profile filters: Spline wavelets
<b>ISO/TS 16610-30:2009</b>	Geometrical product specifications (GPS) -- Filtration -- Part 30: Robust profile filters: Basic concepts
<b>ISO/TS 16610-32:2009</b>	Geometrical product specifications (GPS) -- Filtration -- Part 32: Robust profile filters: Spline filters
<b>ISO/TS 16610-40:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 40: Morphological profile filters: Basic concepts
<b>ISO/TS 16610-41:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 41: Morphological profile filters: Disk and horizontal line-segment filters
<b>ISO/TS 16610-49:2006</b>	Geometrical product specifications (GPS) -- Filtration -- Part 49: Morphological profile filters: Scale space techniques
<b>ISO 16792:2006</b>	Technical product documentation -- Digital product definition data practices
<b>ISO/TS 17450-1:2005</b>	Geometrical product specifications (GPS) -- General concepts -- Part 1: Model for geometrical specification and verification
<b>ISO/TS 17450-1:2005 / Cor 1:2007</b>	
<b>ISO/TS 17450-2:2002</b>	Geometrical product specifications (GPS) -- General concepts -- Part 2: Basic tenets, specifications, operators and uncertainties
<b>ISO 21771:2007</b>	Gears -- Cylindrical involute gears and gear pairs -- Concepts and geometry
<b>ISO/TS 23165:2006</b>	Geometrical product specifications (GPS) -- Guidelines for the evaluation of coordinate measuring machine (CMM) test uncertainty
<b>ISO 27874:2008</b>	Metallic and other inorganic coatings -- Electrodeposited gold and gold alloy coatings for electrical, electronic and engineering purposes -- Specification and test methods