

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
000073	562	51	566	160	4
000071	561	52	566	161	5
000069	560	51	562	161	2
000067	559	51	564	161	5
000065	560	51	565	161	5
000063	560	51	565	161	5
000061	559	51	565	161	6
000059	559	51	562	161	3
000057	561	51	565	161	4
000055	560	51	565	161	5
000053	560	51	564	161	4
000051	560	51	565	161	5
000049	561	51	566	161	5
000047	562	51	566	161	4
000045	561	51	566	161	5
000043	560	51	565	161	5
000041	560	51	565	161	5
000039	559	51	564	161	5
000037	561	51	566	161	5
000035	561	51	566	161	5
000033	559	50	563	161	4
000031	558	50	562	160	4
000029	560	50	565	160	5
000027	559	51	565	160	6
000025	560	50	567	160	7
000023	561	50	566	160	5

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Hulin-1k-smer-Tlumacov-Rikovice					
000021	562	50	566	160	4
000019	559	50	562	160	3
000017	557	50	564	159	7
000015	558	50	561	159	3
000013	558	50	562	160	4
000011	554	50	556	159	2
000009	558	50	562	160	4
000007	557	50	561	160	4
000005	556	51	560	160	4
000003	561	50	565	160	4
000001	559	51	565	160	6
000183	557	51	562	160	5
000181	546	51	550	160	4
000179	542	51	547	161	5
000177	537	51	538	160	1
000N-2	537	52	540	161	3
000175	534	52	535	161	1
000173	542	52	544	161	2
000171	547	52	551	161	4
000169	554	52	557	161	3
000167	558	52	562	161	4
000165	558	52	563	161	5
000163	559	52	562	161	3
000161	559	52	564	161	5
000159	562	52	566	161	4
000157	561	52	567	160	6
000155	560	52	566	160	6
000153	559	52	564	160	5
000151	559	53	564	160	5
000149	561	53	565	160	4
000147	560	53	564	160	4
000N-1	561	53	568	160	7
000145	561	53	566	160	5
000143	560	53	565	160	5
000141	561	53	565	160	4
000139	561	53	566	160	5
000137	562	53	567	160	5
000135	561	54	565	160	4
000133	562	54	566	160	4
000131	561	53	566	160	5

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Hulin-Rikovice-1k					
000129	560	53	566	160	6
000127	562	54	566	160	4
000125	561	54	565	160	4
000123	561	54	567	160	6
000121	560	53	565	161	5
000119	560	53	564	161	4
000117	561	53	564	161	3
000115	561	53	566	161	5
000113	562	52	566	161	4
000111	562	53	567	161	5
000109	564	52	568	161	4
000107	562	52	567	161	5
000105	562	51	565	161	3
000103	562	51	568	161	6
000101	564	51	569	160	5
000099	562	51	568	161	6
000097	560	51	566	161	6
000095	562	51	567	161	5
000093	562	51	566	161	4
000091	563	51	567	161	4
000089	562	51	566	161	4
000087	562	52	566	161	4
000085	562	52	566	161	4
000083	563	52	568	161	5
000081	562	52	565	161	3
000079	564	52	567	161	3
000077	565	52	570	161	5
000075	562	52	567	161	5
000073	558	52	563	161	5
000071	558	52	562	161	4
000069	562	52	565	161	3
000067	567	51	572	160	5
000065	567	51	573	160	6
000063	562	51	568	161	6
000061	562	51	568	160	6
000059	560	51	564	160	4
000057	561	51	566	161	5
000055	561	51	565	160	4
000053	560	51	565	160	5
000051	559	51	564	160	5

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Hulin-Rikovice-1k					
000049	561	51	565	160	4
000047	562	51	566	160	4
000045	561	51	564	160	3
000043	562	51	568	160	6
000041	561	51	566	160	5
000039	561	51	564	160	3
000037	562	52	567	161	5
000035	561	52	564	160	3
000033	565	52	569	160	4
000031	559	51	564	161	5
000029	561	52	565	161	4
000027	561	52	566	161	5
000025	561	51	565	161	4
000023	560	51	564	161	4
000021	559	51	564	162	5
000019	559	51	563	162	4
000017	560	51	565	162	5
000015	560	51	564	162	4
000013	562	50	565	162	3
000011	560	50	563	161	3
000009	561	50	565	161	4
000007	560	50	563	160	3
000005	561	50	564	159	3
000003	559	50	563	159	4
000001	560	50	563	159	3
000061	560	53	564	152	4
000059	560	53	564	153	4
000057	563	53	568	154	5
000055	565	53	568	155	3
000053	570	53	573	157	3
000051	573	53	575	158	2
000049	575	53	578	159	3
000047	573	53	575	160	2
000045	573	53	578	161	5
000043	565	53	570	161	5
000041	557	53	561	160	4
000039	557	53	561	161	4
000037	559	53	562	161	3
000035	557	53	559	161	2
000033	560	53	565	160	5

Typ sběrače WBL85			Statický přítlak 80 N		Datum měření 1. 1. 2017
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Hustenovice-1k-smer-StareMestouUhHrad-Napajedla					
000031	555	52	558	160	3
000029	558	52	560	161	2
000027	555	53	557	161	2
000025	557	53	560	160	3
000023	557	53	561	161	4
000021	558	53	561	161	3
000019	556	53	560	161	4
000017	561	53	566	161	5
000015	568	53	571	161	3
000013	573	53	576	161	3
000011	572	53	575	161	3
000009	564	53	567	161	3
000007	558	52	561	161	3
000005	557	52	561	161	4
000003	562	52	568	161	6
000001	561	52	565	161	4
000151	561	52	565	161	4
000149	563	52	566	161	3
000147	560	51	564	161	4
000145	560	51	563	161	3
000143	561	51	563	160	2
000141	561	50	564	160	3
000139	565	50	569	160	4
000137	572	49	575	159	3
000135	574	50	577	159	3
000133	574	49	576	158	2
000131	561	49	564	158	3
000113	561	50	562	154	1
000111	561	51	564	153	3
000109	561	51	564	152	3
000107	560	51	562	152	2
000105	561	51	566	151	5
000103	560	51	565	151	5
000101	561	51	563	150	2
000099	561	51	565	150	4
000097	563	51	566	149	3
000095	559	50	562	149	3
000093	563	50	565	148	2
000091	560	50	563	148	3
000089	561	51	563	147	2

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Hustenovice-Napajedla-1k					
000087	557	51	561	147	4
000085	560	51	561	146	1
000083	558	50	562	145	4
000081	561	50	563	145	2
000079	558	51	562	145	4
000077	557	50	561	144	4
000075	563	50	564	143	1
000073	561	50	563	143	2
000071	559	50	563	142	4
000069	562	50	564	142	2
000067	562	51	565	141	3
000065	561	50	562	141	1
000063	562	51	565	142	3
000061	560	51	562	143	2
000059	560	51	563	145	3
000057	559	52	564	146	5
000055	560	52	563	148	3
000053	559	52	563	150	4
000051	564	52	567	151	3
000049	567	52	569	152	2
000047	568	51	571	153	3
000045	569	51	573	155	4
000043	575	51	576	156	1
000041	569	50	573	157	4
000039	568	51	572	158	4
000037	570	51	575	160	5
000035	569	51	572	161	3
000033	562	52	569	162	7
000031	562	53	566	161	4
000029	561	53	565	161	4
000027	562	54	565	161	3
000025	561	54	565	161	4
000023	561	55	564	161	3
000021	561	55	565	161	4
000019	560	55	565	162	5
000017	561	53	566	162	5
000015	560	53	563	161	3
000013	561	54	565	161	4
000011	560	54	564	162	4
000009	560	54	567	161	7

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Hustenovice-Napajedla-1k					
000007	561	54	566	162	5
000005	562	54	566	161	4
000003	561	54	566	161	5
000001	562	54	567	162	5
000061	559	54	564	161	5
000059	557	54	565	161	8
000057	560	53	565	161	5
000055	564	53	567	161	3
000053	559	53	563	162	4
000051	561	53	565	161	4
000049	561	53	565	161	4
000047	557	53	560	161	3
000045	557	54	559	161	2
000043	559	54	563	161	4
000041	558	54	562	161	4
000039	561	54	566	161	5
000037	559	55	564	161	5
000035	561	55	565	160	4
000033	560	53	563	160	3
000031	557	53	561	160	4
000029	556	53	561	160	5
000027	549	53	554	159	5
000025	557	52	563	159	6
000023	561	52	565	158	4
000021	562	52	566	158	4
000019	559	52	563	158	4
000017	558	51	562	158	4
000015	562	52	563	157	1
000013	564	51	566	157	2
000011	561	51	563	156	2
000009	559	51	561	156	2
000007	559	51	562	155	3
000005	559	51	562	154	3
000003	560	51	566	153	6
000001	561	51	563	151	2
000131	561	51	564	151	3
000129	562	50	565	150	3
000127	563	50	565	149	2
000125	561	50	565	149	4
000123	562	51	566	149	4

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Napajedla-Otrokovice-1k					
000121	565	51	568	149	3
000119	561	50	564	148	3
000117	560	50	563	148	3
000115	561	50	565	147	4
000113	560	51	566	147	6
000111	571	51	573	146	2
000109	576	51	579	146	3
000107	578	51	581	146	3
000105	572	52	574	146	2
000103	568	51	572	145	4
000101	567	52	571	145	4
000099	567	52	573	145	6
000097	561	52	566	144	5
000095	564	52	568	143	4
000093	564	52	567	141	3
000091	563	52	566	138	3
000089	561	52	563	136	2
000087	562	52	564	133	2
000085	562	52	564	131	2
000083	559	52	560	129	1
000081	563	52	565	129	2
000079	567	52	569	129	2
000077	567	52	570	128	3
000075	573	51	576	128	3
000073	572	51	573	128	1
000071	567	51	569	128	2
000069	566	51	568	128	2
000067	562	51	564	128	2
000065	562	51	564	128	2
000063	561	51	562	128	1
000061	559	52	561	128	2
000059	558	52	559	128	1
000057	557	52	559	128	2
000055	559	52	560	127	1
000053	557	52	559	126	2
000051	556	52	558	124	2
000049	560	52	562	122	2
000047	562	52	567	120	5
000045	562	52	566	119	4
000043	562	52	566	119	4

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Napajedla-Otrokovice-1k					
000041	560	52	563	118	3
000039	559	51	563	118	4
000037	560	51	564	119	4
000035	557	51	560	119	3
000033	559	51	563	120	4
000031	557	51	559	120	2
000029	559	51	561	121	2
000027	559	50	563	120	4
000025	559	50	563	120	4
000023	560	50	562	121	2
000021	560	49	562	121	2
000019	561	49	564	121	3
000017	561	48	563	121	2
000015	560	48	564	121	4
000013	559	49	562	121	3
000011	558	49	562	121	4
000009	559	49	562	121	3
000007	558	50	561	121	3
000005	558	50	561	121	3
000003	558	51	561	121	3
000001	560	51	563	120	3
000071	563	53	567	160	4
000069	558	52	564	160	6
000067	560	52	565	160	5
000065	558	52	563	161	5
000063	560	52	563	160	3
000061	557	52	562	161	5
000059	560	51	565	161	5
000057	560	51	564	161	4
000055	560	51	563	161	3
000053	559	52	563	161	4
000051	559	52	562	161	3
000049	559	52	562	161	3
000047	561	52	564	161	3
000045	560	52	564	162	4
000043	559	52	562	162	3
000041	561	52	564	162	3
000039	562	52	564	162	2
000037	561	53	564	162	3
000035	559	53	562	162	3

Typ sběrače WBL85			Statický přítlak 80 N		Datum měření 1. 1. 2017
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Nedakonice-1k-smer-MoravskyPisek-StareMestouUhHrad					
000033	559	52	563	161	4
000031	559	52	562	161	3
000029	559	52	563	160	4
000027	560	52	564	159	4
000025	562	51	567	159	5
000023	562	51	565	159	3
000021	562	51	566	158	4
000019	568	51	571	158	3
000017	575	52	578	157	3
000015	576	51	578	157	2
000013	576	51	578	156	2
000011	574	51	575	156	1
000009	567	51	570	155	3
000007	560	51	563	155	3
000005	564	51	568	154	4
000003	560	51	563	154	3
000001	557	51	560	153	3
000107	561	51	564	153	3
000105	561	51	565	152	4
000103	560	51	565	152	5
000101	562	52	564	151	2
000099	558	52	563	151	5
000097	559	52	564	150	5
000095	562	52	565	149	3
000093	562	52	566	149	4
000091	562	52	566	149	4
000089	561	53	565	148	4
000087	563	53	566	147	3
000085	559	53	563	147	4
000083	560	53	564	146	4
000081	559	54	563	147	4
000079	560	54	564	146	4
000077	559	54	561	147	2
000075	560	54	564	147	4
000073	559	53	563	149	4
000071	560	53	565	150	5
000069	561	52	564	152	3
000067	561	52	565	153	4
000065	561	52	565	154	4
000063	562	52	566	156	4

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Nedakonice-StareMestouUhHrad-1k					
000061	563	51	567	157	4
000059	559	51	563	158	4
000057	562	51	564	159	2
000055	564	51	569	160	5
000053	561	50	564	161	3
000051	563	50	568	161	5
000049	562	50	566	161	4
000047	562	50	566	161	4
000045	562	50	567	161	5
000043	561	50	564	160	3
000041	559	50	562	160	3
000039	560	50	563	160	3
000037	561	50	565	161	4
000035	561	51	565	160	4
000033	563	51	567	160	4
000031	562	52	566	161	4
000029	562	52	567	161	5
000027	562	52	566	161	4
000025	559	52	562	161	3
000023	560	52	564	161	4
000021	560	52	564	161	4
000019	560	53	564	161	4
000017	559	52	562	161	3
000015	559	52	564	161	5
000013	560	52	564	161	4
000011	558	52	563	161	5
000009	559	52	563	161	4
000007	560	52	564	161	4
000005	559	52	564	160	5
000003	561	52	565	160	4
000001	561	51	564	160	3
000077	561	52	563	120	2
000075	557	52	560	119	3
000073	564	52	566	119	2
000071	563	52	565	119	2
000069	557	52	560	119	3
000067	557	52	560	119	3
00065A	559	52	561	119	2
000065	558	52	561	119	3
00063A	561	52	563	119	2

Typ sběrače WBL85			Statický přítlak 80 N		Datum měření 1. 1. 2017
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Otrokovice-1k-smer-Napajedla-Tlumacov					
000063	560	52	563	119	3
000061	562	52	565	120	3
000059	567	52	570	119	3
000057	561	51	565	120	4
000055	560	52	564	120	4
000N-2	560	51	564	119	4
000053	559	51	563	120	4
000051	558	51	562	120	4
000049	554	51	557	120	3
000047	559	51	563	120	4
000045	557	51	561	120	4
000043	556	51	560	120	4
000041	552	51	555	120	3
000039	553	50	554	120	1
000037	559	50	560	120	1
000035	565	50	568	120	3
000033	561	50	565	120	4
000031	556	50	559	120	3
000029	555	50	559	120	4
000027	557	50	560	120	3
000025	559	50	562	120	3
000023	558	50	562	120	4
000021	561	50	566	120	5
000019	568	49	571	120	3
000017	563	49	567	120	4
000015	566	49	569	120	3
000013	562	50	566	121	4
000011	562	50	566	121	4
000009	558	50	560	123	2
000007	561	51	565	125	4
000005	558	51	563	124	5
000003	562	51	563	121	1
000N-1	562	51	568	121	6
000001	561	51	564	121	3
000153	560	51	563	120	3
000151	561	51	564	119	3
000149	561	51	563	117	2
000147	561	52	563	117	2
000145	558	51	559	117	1
000143	559	51	560	116	1

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Otrokovice-Tlumacov-1k					
000141	560	51	561	116	1
000139	559	51	560	116	1
000137	559	51	561	116	2
000135	559	50	561	115	2
000133	561	50	563	115	2
000131	561	50	563	114	2
000129	560	50	562	114	2
000127	560	51	563	114	3
000125	560	50	561	113	1
000123	564	50	567	113	3
000121	564	50	566	112	2
000119	563	50	566	112	3
000117	562	50	566	111	4
000115	563	50	567	111	4
000113	562	50	565	111	3
000111	562	50	565	110	3
000109	562	51	564	109	2
000107	561	51	565	109	4
000105	561	51	565	109	4
000103	561	51	565	108	4
000101	561	52	564	108	3
000099	560	52	564	107	4
000097	561	52	564	107	3
000095	561	52	563	106	2
000093	562	53	566	107	4
000091	561	52	565	109	4
000089	562	52	565	111	3
000087	561	52	565	114	4
000085	562	52	565	116	3
000083	559	51	562	119	3
000081	561	51	563	122	2
000079	559	51	562	124	3
000078	561	51	566	126	5
000N-1	559	51	562	127	3
000077	561	50	564	128	3
000075	560	51	564	130	4
000073	560	51	564	132	4
000071	560	51	562	134	2
000069	559	52	562	137	3
000067	561	52	564	139	3

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Otrokovice-Tlumacov-1k					
000065	562	53	565	141	3
000063	562	52	564	142	2
000061	561	52	565	144	4
000059	562	53	566	146	4
000057	562	52	564	148	2
000055	561	52	564	149	3
000053	560	52	566	151	6
000051	560	52	564	152	4
000049	561	53	565	154	4
000047	561	53	565	156	4
000045	561	53	566	157	5
000043	561	53	566	158	5
000041	562	53	566	160	4
000039	562	53	564	160	2
000037	562	53	565	160	3
000035	561	53	565	160	4
000033	561	53	566	160	5
000031	562	53	567	159	5
000029	561	53	566	159	5
000027	561	53	566	160	5
000025	563	54	570	159	7
000023	560	53	565	160	5
000021	560	53	564	160	4
000019	560	52	563	160	3
000017	560	52	563	160	3
000015	562	52	566	160	4
000013	561	52	565	160	4
000011	561	52	565	160	4
000009	562	52	566	161	4
000007	562	52	566	161	4
000005	562	52	567	161	5
000003	562	52	565	161	3
000001	557	52	561	161	4
000N-1	557	51	562	158	5
000067	558	51	562	158	4
000065	560	51	562	158	2
000063	558	51	564	157	6
000061	558	51	562	157	4
000059	560	52	564	156	4
000057	561	52	565	156	4

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Rikovice-1k-smer-Hulin-Prerov					
000055	563	52	567	156	4
000053	561	52	565	156	4
000051	562	53	566	155	4
000049	561	53	565	154	4
000047	561	53	565	154	4
000045	559	53	564	154	5
000043	560	53	565	154	5
000103	560	51	564	160	4
000101	559	50	564	160	5
000099	561	49	565	160	4
000097	560	50	564	160	4
000095	557	49	561	160	4
000093	556	49	557	160	1
000091	560	49	562	160	2
000089	559	49	562	160	3
000087	561	49	565	160	4
000085	560	49	564	160	4
000083	558	50	562	160	4
000081	559	49	561	160	2
000079	556	50	559	161	3
000077	556	50	560	161	4
000075	554	50	559	161	5
000073	552	50	557	161	5
000071	557	50	563	161	6
000069	560	50	562	160	2
000067	563	50	566	160	3
000065	560	50	565	159	5
000063	562	50	565	159	3
000061	562	50	565	158	3
000059	562	50	563	158	1
000057	559	50	564	158	5
000055	557	50	557	157	0
000053	557	51	559	157	2
000051	557	50	561	158	4
000049	560	51	565	158	5
000047	562	50	565	159	3
000045	564	51	568	159	4
000043	565	51	569	160	4
000041	567	51	571	160	4
000039	566	51	570	161	4

Typ sběrače WBL85			Statický přítlak 80 N		Datum měření 1. 1. 2017
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
StareMestouUhHrad-1k-smer-Nedakonice-Hustenovice					
000037	559	51	564	161	5
000035	560	51	564	161	4
000033	562	51	565	161	3
000031	561	51	563	161	2
000029	561	51	565	161	4
000027	558	52	563	161	5
000025	561	52	564	161	3
000023	560	52	564	161	4
000021	556	52	560	161	4
000019	560	52	562	161	2
000017	567	52	571	161	4
000015	559	52	564	161	5
000013	551	52	553	161	2
000011	553	52	554	161	1
000009	550	52	550	161	0
000007	556	52	560	161	4
000005	558	52	562	161	4
000003	563	52	569	161	6
000001	563	51	568	161	5
000107	563	51	567	161	4
000105	564	52	566	161	2
000N-1	563	51	569	161	6
000103	563	51	567	161	4
000101	565	51	570	161	5
000099	561	51	565	161	4
000097	564	51	565	161	1
000095	566	51	570	160	4
000093	560	51	563	160	3
000091	560	51	562	159	2
000089	561	51	563	159	2
000087	564	51	568	159	4
000085	564	52	567	158	3
000083	564	52	569	159	5
000081	563	52	566	158	3
000079	569	53	573	158	4
000077	567	52	570	158	3
000075	565	52	569	158	4
000051	561	52	560	154	-1
000049	559	52	561	154	2
000047	563	52	566	153	3

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
StareMestouUhHrad-Hustenovice-1k					
000045	562	51	566	153	4
000043	558	52	563	153	5
000041	559	52	562	153	3
000039	558	52	563	153	5
000037	558	52	562	152	4
000035	559	52	563	152	4
000033	559	52	562	152	3
000031	559	52	561	151	2
000029	558	52	562	151	4
000027	559	52	562	151	3
000025	558	52	562	150	4
000023	559	52	561	150	2
000021	558	52	562	150	4
000019	559	52	561	150	2
000017	559	52	563	149	4
000015	562	52	567	149	5
000013	559	52	563	149	4
000011	562	52	564	149	2
000009	561	52	564	148	3
000007	560	52	564	148	4
000005	562	52	565	149	3
000003	561	52	565	150	4
000001	562	52	564	151	2
000065	560	52	565	161	5
000063	561	51	566	161	5
000061	563	51	568	160	5
000059	560	51	565	160	5
000057	560	51	561	160	1
000055	561	51	565	160	4
000053	563	51	566	160	3
000051	562	51	567	160	5
000049	564	51	567	160	3
000047	568	51	569	160	1
000045	570	51	573	160	3
000043	568	51	573	160	5
000041	559	51	563	160	4
000039	567	50	574	160	7
000037	564	51	567	160	3
000035	559	50	563	160	4
000033	561	50	563	160	2

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Tlumacov-1k-smer-Otrokovice-Hulin					
000031	561	50	565	160	4
000029	560	50	563	160	3
000027	562	49	565	160	3
000025	562	49	566	160	4
000023	561	49	564	160	3
000021	564	49	568	160	4
000019	564	49	568	160	4
000017	575	49	579	160	4
000015	563	49	568	160	5
000013	569	50	572	160	3
000011	563	50	566	160	3
000009	559	50	565	160	6
000007	559	50	563	160	4
000005	563	50	565	160	2
000003	562	51	569	160	7
000001	560	51	564	161	4
000181	557	51	562	161	5
000179	559	51	562	161	3
000177	560	51	564	161	4
000175	560	52	563	161	3
000173	560	51	563	161	3
000171	559	51	563	161	4
000169	561	52	564	161	3
000167	561	52	564	161	3
000165	562	52	564	160	2
000163	562	52	565	160	3
000161	562	52	564	160	2
000159	561	52	565	160	4
000157	561	52	565	160	4
000155	564	53	570	160	6
000153	562	52	566	160	4
000151	553	52	557	160	4
000N-1	550	52	553	160	3
000149	551	52	555	160	4
000147	559	52	561	160	2
000145	562	51	564	160	2
000143	563	51	566	160	3
000141	561	51	566	160	5
000139	562	51	566	161	4
000137	561	51	566	161	5

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Tlumacov-Hulin-1k					
000135	558	52	565	161	7
000133	561	53	566	161	5
000131	562	53	565	161	3
000129	562	53	567	160	5
000127	563	53	567	160	4
000125	563	53	568	160	5
000123	562	53	566	160	4
000121	563	53	567	160	4
000119	561	52	566	159	5
000117	561	52	566	160	5
000115	562	52	566	160	4
000113	561	52	565	160	4
000111	561	52	564	160	3
000109	561	52	566	160	5
000107	562	51	567	160	5
000105	562	51	566	161	4
000103	561	52	566	161	5
000101	560	52	564	161	4
000099	559	51	564	161	5
000097	560	51	565	161	5
000095	560	52	566	161	6
000093	561	52	565	161	4
000091	560	52	564	161	4
000089	562	51	568	161	6
000087	560	51	565	161	5
000085	560	51	565	161	5
000083	561	51	565	161	4
000081	562	51	566	161	4
000079	561	51	564	161	3
000077	562	51	566	161	4
000075	561	51	565	160	4
000073	561	51	567	160	6
000071	559	51	565	160	6
000069	561	51	565	160	4
000067	561	51	564	160	3
000065	562	52	565	160	3
000063	562	52	564	160	2
000061	560	52	563	160	3
000059	563	52	566	160	3
000057	562	52	565	160	3

Typ sběrače WBL85		Statický přítlak 80 N		Datum měření 1. 1. 2017	
trakční podpěra [číslo]	výška bez přítlačné síly [cm]	rychlost [km/h]	výška se stat. přítlakem [cm]	rychlost [km/h]	zdvih trol. vodiče [cm]
Tlumacov-Hulin-1k					
000055	562	52	567	161	5
000053	562	52	566	160	4
000051	562	52	566	160	4
000049	563	51	568	160	5
000047	562	51	567	160	5
000045	562	51	567	161	5
000043	562	51	566	161	4
000041	562	51	567	160	5
000039	561	51	566	161	5
000037	561	51	565	161	4
000035	562	51	567	161	5
000033	562	52	567	161	5
000031	562	51	566	161	4
000029	562	51	566	161	4
000027	562	52	566	161	4
000025	562	52	568	161	6
000023	561	52	565	160	4
000021	561	52	565	160	4
000019	561	52	566	161	5
000017	562	52	566	160	4
000015	562	52	566	161	4
000013	562	52	566	160	4
000011	562	52	566	160	4
000009	562	52	566	161	4
000007	563	52	567	160	4
000005	562	52	566	161	4
000003	560	51	565	160	5
000001	562	51	566	161	4